

KENTUCKY AIRPORT ZONING COMMISSION

AGENDA

May 13, 2010

I. **ROLL CALL:**

Randall Royer	Interim Chairman
Donald Jeffries	Commissioner
Robert Michael	Commissioner
Jill Tiedt	Commissioner
James Woodward	Commissioner
Jon Zachem	Commissioner
Susan Chaplin	Office of Legal Services
John Houlihan	Administrator

II. **INTRODUCTIONS:**

Guests: Mike Travis East Kentucky Power

III. **APPROVAL OF MINUTES FROM PREVIOUS MEETINGS – March 11, 2010**

ACTION: Interim Chairman Royer called for a motion. A motion was made by Commissioner Jeffries to approve the March 11, 2010 minutes. Commissioner Zachem seconded it. The motion passed and was so ordered.

IV. **OLD BUSINESS – ACTION REQUIRED:**

1. **AS-114-BWG-09-179**

APPLICANTS NAME	Mr. James N. Johnson
CONSTRUCTION LOCATION	Bowling Green, KY
LATITUDE/LONGITUDE	36° 57' 28.71" N / 86° 25' 38.18" W
HEIGHT (In Feet)	15.2' AGL/556.39' AMSL
CONSTRUCTION PROPOSED	Building Addition

NOTES: The building addition will be located 538 feet from the approach end of Rwy 3 at Bowling Green Airport. Preliminary review indicates this structure exceeds state standard 602 KAR 50:010 Section 2(9)(b)(3) by 2.63 feet. Obstruction lighting is proposed.

FAA DETERMINATION: 2010-ASO-4 thru 6-NRA, 2010-ASO-11-NRA

RECOMMENDATION: Deny

ACTION: Interim Chairman Royer called for a motion. A motion was made by Commissioner Zachem to accept the Administrator's revised recommendation to defer item #1 per the request of the applicant. Commissioner Michael seconded it. The motion passed and was so ordered.

V. APPLICATIONS FOR A PERMIT TO CONSTRUCT OR ALTER A STRUCTURE WHICH FALL WITHIN COMMISSION'S JURISDICTION BUT DO NOT EXCEED MINIMUM OBSTRUCTION STANDARDS:

1. AS-058-9KY9-10-015

APPLICANTS NAME Kentucky Power Company
CONSTRUCTION LOCATION East Point, KY
LATITUDE/LONGITUDE 37° 45' 1.8" N / 82° 47' 4.35" W
HEIGHT (In Feet) 47' AGL/668.32' AMSL
CONSTRUCTION PROPOSED Power Line (Structure #10)

NOTES: The power line will be located 1,127 feet from the approach end of Rwy 13 at Combs Field Airport (Private). Preliminary review indicates this structure exceeds no state standards. Obstruction lighting is not proposed.

FAA DETERMINATION: Not Available

RECOMMENDATION: Approve without the FAA Determination

ACTION: Interim Chairman Royer called for a motion. A motion was made by Commissioner Jeffries to approve item #1 in accordance with the Administrator's recommendation to approve without the FAA Determination. Commissioner Woodward seconded it. The motion was carried and was so ordered.

2. AS-055-I35-10-016

APPLICANTS NAME East Kentucky Power
CONSTRUCTION LOCATION Manchester, KY
LATITUDE/LONGITUDE 37° 8' 50.05" N / 83° 36' 33.88" W
HEIGHT (In Feet) 414' AGL/1345' AMSL
CONSTRUCTION PROPOSED Power Line

NOTES: The power line will be located 21.1 nm northwest of Harlan Airport. Preliminary review indicates this structure exceeds no state standards. Obstruction lighting is not proposed.

FAA DETERMINATION: 2010-ASO-880-OE-No Hazard-Medium Dual Cantenary Lighting

RECOMMENDATION: Approve in accordance with the FAA Determination.

3. AS-055-I35-2010-017

APPLICANTS NAME East Kentucky Power
CONSTRUCTION LOCATION Manchester, KY
LATITUDE/LONGITUDE 37° 8' 57.19" N / 83° 36' 23.92" W
HEIGHT (In Feet) 233' AGL/1363' AMSL
CONSTRUCTION PROPOSED Power Line

NOTES: The power line will be located 21.0 nm northwest of Harlan Airport. Preliminary review indicates this structure exceeds no state standards. Obstruction lighting is not proposed.

FAA DETERMINATION: 2010-ASO-881-OE-No Hazard-Medium Dual Cantenary Lighting

RECOMMENDATION: Approve in accordance with the FAA Determination with Spherical Markers only.

4. **AS-055-I35-2010-018**

APPLICANTS NAME East Kentucky Power
CONSTRUCTION LOCATION Manchester, KY
LATITUDE/LONGITUDE 37° 9' 9.60" N / 83° 36' 6.82" W
HEIGHT (In Feet) 461' AGL/1347' AMSL
CONSTRUCTION PROPOSED Power Line

NOTES: The power line will be located 21.1 nm northwest of Harlan Airport. Preliminary review indicates this structure exceeds no state standards. Obstruction lighting is not proposed.

FAA DETERMINATION: 2010-ASO-882-OE-No Hazard-Medium Dual Cantenary Lighting

RECOMMENDATION: Approve in accordance with the FAA Determination.

5. **AS-055-K20-2010-019**

APPLICANTS NAME East Kentucky Power
CONSTRUCTION LOCATION Manchester, KY
LATITUDE/LONGITUDE 37° 9' 46.35" N / 83° 35' 44.12" W
HEIGHT (In Feet) 247' AGL/1438' AMSL
CONSTRUCTION PROPOSED Power Line

NOTES: The power line will be located 20.8 nm southwest of Hazard Airport. Preliminary review indicates this structure exceeds no state standards. Obstruction lighting is not proposed.

FAA DETERMINATION: 2010-ASO-883-OE-No Hazard-Medium Dual Cantenary Lighting

RECOMMENDATION: Approve in accordance with the FAA Determination with Spherical Markers only.

6. **AS-055-K20-2010-020**

APPLICANTS NAME East Kentucky Power
CONSTRUCTION LOCATION Manchester, KY
LATITUDE/LONGITUDE 37° 9' 46.35" N / 83° 35' 21.54" W
HEIGHT (In Feet) 257' AGL/1126' AMSL
CONSTRUCTION PROPOSED Power Line

NOTES: The power line will be located 20.6 nm southwest of Hazard Airport. Preliminary review indicates this structure exceeds no state standards. Obstruction lighting is not proposed.

FAA DETERMINATION: 2010-ASO-878-OE-No Hazard-Medium Dual Cantenary Lighting

RECOMMENDATION: Approve in accordance with the FAA Determination with Spherical Markers only.

7. **AS-055-I35-2010-021**

APPLICANTS NAME East Kentucky Power
CONSTRUCTION LOCATION Manchester, KY
LATITUDE/LONGITUDE 37° 8' 34.05" N / 83° 36' 56.02" W
HEIGHT (In Feet) 429' AGL/1345' AMSL
CONSTRUCTION PROPOSED Power Line

NOTES: The power line will be located 21.0 nm northwest of Harlan Airport. Preliminary review indicates this structure exceeds no state standards. Obstruction lighting is not proposed.

FAA DETERMINATION: 2010-ASO-879-OE-No Hazard-Medium Dual Cantenary Lighting

RECOMMENDATION: Approve in accordance with the FAA Determination.

8. AS-055-LOZ-2010-022

APPLICANTS NAME East Kentucky Power
CONSTRUCTION LOCATION Manchester, KY
LATITUDE/LONGITUDE 37° 5' 41.72" N / 83° 40' 30.55" W
HEIGHT (In Feet) 257' AGL/1335' AMSL
CONSTRUCTION PROPOSED Power Line

NOTES: The power line will be located 19.3 nm east of London Airport. Preliminary review indicates this structure exceeds no state standards. Obstruction lighting is not proposed.

FAA DETERMINATION: 2010-ASO-874-OE-No Hazard-Medium Dual Cantenary Lighting

RECOMMENDATION: Approve in accordance with the FAA Determination with Spherical Markers only.

9. AS-055-LOZ-2010-023

APPLICANTS NAME East Kentucky Power
CONSTRUCTION LOCATION Manchester, KY
LATITUDE/LONGITUDE 37° 6' 19.36" N / 83° 40' 8.84" W
HEIGHT (In Feet) 416' AGL/1496' AMSL
CONSTRUCTION PROPOSED Power Line

NOTES: The power line will be located 19.5 nm east of London Airport. Preliminary review indicates this structure exceeds no state standards. Obstruction lighting is not proposed.

FAA DETERMINATION: 2010-ASO-875-OE-No Hazard-Medium Dual Cantenary Lighting

RECOMMENDATION: Approve in accordance with the FAA Determination.

10. AS-055-LOZ-2010-024

APPLICANTS NAME East Kentucky Power
CONSTRUCTION LOCATION Manchester, KY
LATITUDE/LONGITUDE 37° 7' 8.79" N / 83° 39' 9.38" W
HEIGHT (In Feet) 331' AGL/1422' AMSL
CONSTRUCTION PROPOSED Power Line

NOTES: The power line will be located 21.0 nm east of London Airport. Preliminary review indicates this structure exceeds no state standards. Obstruction lighting is not proposed.

FAA DETERMINATION: 2010-ASO-876-OE-No Hazard-Medium Dual Cantenary Lighting

RECOMMENDATION: Approve in accordance with the FAA Determination.

11. AS-055-LOZ-2010-025

APPLICANTS NAME East Kentucky Power
CONSTRUCTION LOCATION Manchester, KY
LATITUDE/LONGITUDE 37° 7' 30.04" N / 83° 38' 38.21" W
HEIGHT (In Feet) 280' AGL/1538' AMSL
CONSTRUCTION PROPOSED Power Line

NOTES: The power line will be located 21.0 nm east of London Airport. Preliminary review indicates this structure exceeds no state standards. Obstruction lighting is not proposed.

FAA DETERMINATION: 2010-ASO-877-OE-No Hazard-Medium Dual Cantenary Lighting

RECOMMENDATION: Approve in accordance with the FAA Determination with Spherical Markers only.

12. AS-055-I35-2010-026

APPLICANTS NAME East Kentucky Power
CONSTRUCTION LOCATION Manchester, KY
LATITUDE/LONGITUDE 37° 7' 47.97" N / 83° 38' 8.96" W
HEIGHT (In Feet) 408' AGL/1453' AMSL
CONSTRUCTION PROPOSED Power Line

NOTES: The power line will be located 21.1 nm northwest of Harlan Airport. Preliminary review indicates this structure exceeds no state standards. Obstruction lighting is not proposed.

FAA DETERMINATION: 2010-ASO-884-OE-No Hazard-Medium Dual Cantenary Lighting

RECOMMENDATION: Approve in accordance with the FAA Determination.

13. AS-055-LOZ-2010-027

APPLICANTS NAME East Kentucky Power
CONSTRUCTION LOCATION Manchester, KY
LATITUDE/LONGITUDE 37° 5' 16.75" N / 83° 41' 4.74" W
HEIGHT (In Feet) 235' AGL/1213' AMSL
CONSTRUCTION PROPOSED Power Line

NOTES: The power line will be located 18.8 nm east of London Airport. Preliminary review indicates this structure exceeds no state standards. Obstruction lighting is not proposed.

FAA DETERMINATION: 2010-ASO-873-OE-No Hazard-Medium Dual Cantenary Lighting

RECOMMENDATION: Approve in accordance with the FAA Determination with Spherical Markers only.

ACTION: Interim Chairman Royer called for a motion. A motion was made by Commissioner Tiedt to accept the Administrator's revised recommendation to defer item #2-13 pending more information from applicant regarding obstruction lighting. Commissioner Michael seconded it. The motion passed and was so ordered.

14. AS-046-KY8-2010-028

APPLICANTS NAME Vectren Energy Delivery
CONSTRUCTION LOCATION Hawesville, KY
LATITUDE/LONGITUDE 37° 53' 44.15" N / 86° 41' 53.52" W
HEIGHT (In Feet) 290' AGL/700' AMSL
CONSTRUCTION PROPOSED Power Line Support Structure

NOTES: The power line support structure will be located 8.2 nm southeast of Hancock Airport. Preliminary review indicates this structure exceeds no state standards. Obstruction lighting is proposed.

FAA DETERMINATION: Not Available

RECOMMENDATION: Approve with FAA obstruction marking and lighting and pending FAA Determination of No Hazard/No IFR/VFR effect.

ACTION: Interim Chairman Royer called for a motion. A motion was made by Commissioner Tiedt to conditional approve item #14 in accordance with the Administrator's recommendation to approve pending FAA determination of No Hazard /No IFR/ VFR effect. Commissioner Zachem seconded it. The motion was carried and was so ordered.

15. AS-114-BWG-2010-030

APPLICANTS NAME Independence Bank
CONSTRUCTION LOCATION Bowling Green, KY
LATITUDE/LONGITUDE 36° 57' 40.16" N / 86° 25' 46.04" W
HEIGHT (In Feet) 104' AGL/642' AMSL
CONSTRUCTION PROPOSED Building

NOTES: The building will be located 1548 feet northwest of Rwy 3/21 at Bowling Green Airport. Preliminary review indicates this structure exceeds no state standards. Obstruction lighting is not proposed.

FAA DETERMINATION: Not Available

RECOMMENDATION: Approve with FAA obstruction marking and lighting and pending FAA Determination of No Hazard/No IFR/VFR effect.

ACTION: Interim Chairman Royer called for a motion. A motion was made by Commissioner Michael to accept the Administrator's revised recommendation to defer item #15 pending review of the FAA Determination. Commissioner Jeffries seconded it. The motion passed and was so ordered.

16. AS-049-27K-2010-031

APPLICANTS NAME Cellco Partnership
CONSTRUCTION LOCATION Cynthiana, KY
LATITUDE/LONGITUDE 38° 17' 10.11" N / 84° 23' 51.65" W
HEIGHT (In Feet) 300' AGL/1185' AMSL
CONSTRUCTION PROPOSED Antenna Tower

NOTES: The antenna will be located 3.5 nm northeast of Georgetown Airport. Preliminary review indicates this structure exceeds no state standards. Obstruction lighting is proposed.

FAA DETERMINATION: Not Available

RECOMMENDATION: Approve with FAA obstruction marking and lighting and pending FAA Determination of No Hazard/No IFR/VFR effect.

ACTION: Interim Chairman Royer called for a motion. A motion was made by Commissioner Jeffries to conditional approve item #16 in accordance with the Administrator's recommendation to approve pending FAA determination of No Hazard /No IFR/ VFR effect. Commissioner Tiedt seconded it. The motion was carried and was so ordered.

17. AS-015-SDF-2010-032

APPLICANTS NAME LOUISVILLE GAS & ELECTRIC COMPANY
CONSTRUCTION LOCATION Brooks, KY
LATITUDE/LONGITUDE 38° 2' 20.20" N / 85° 42' 22.80" W
HEIGHT (In Feet) 203' AGL/682' AMSL
CONSTRUCTION PROPOSED Power Line Support Structure

NOTES: The support structure will be located 8.2 nm south of Louisville International Airport. Preliminary review indicates this structure exceeds no state standards. Obstruction lighting is not proposed.

FAA DETERMINATION: Not Available

RECOMMENDATION: Approve with FAA obstruction marking and lighting and pending FAA Determination of No Hazard/No IFR/VFR effect.

ACTION: Interim Chairman Royer called for a motion. A motion was made by Commissioner Tiedt to conditional approve item #17 in accordance with the Administrator's recommendation to approve pending FAA determination of No Hazard /No IFR/ VFR effect. Commissioner Jeffries seconded it. The motion was carried and was so ordered.

18. AS-056-LOU-2010-033

APPLICANTS NAME LOUISVILLE WATER COMPANY
CONSTRUCTION LOCATION Louisville, KY
LATITUDE/LONGITUDE 38° 15' 10.79" N / 85° 40' 53.25" W
HEIGHT (In Feet) 103' AGL/656' AMSL
CONSTRUCTION PROPOSED Water Tank

NOTES: The water tank will be located 8737 feet northwest of Bowman Louisville Airport. Preliminary review indicates this structure exceeds no state standards. Obstruction lighting is proposed.

FAA DETERMINATION: Not Available

RECOMMENDATION: Approve with FAA obstruction marking and lighting and pending FAA Determination of No Hazard/No IFR/VFR effect.

ACTION: Interim Chairman Royer called for a motion. A motion was made by Commissioner Jeffries to conditional approve item #18 in accordance with the Administrator's recommendation to approve pending FAA determination of No Hazard /No IFR/ VFR effect. Commissioner Michael seconded it. The motion was carried and was so ordered.

19. AS-030-OWB-2010-034

APPLICANTS NAME Kentucky Bio Processing, LLC
CONSTRUCTION LOCATION Owensboro, KY
LATITUDE/LONGITUDE 37° 43' 58.01" N / 87° 9' 34.20" W
HEIGHT (In Feet) 30' AGL/429' AMSL
CONSTRUCTION PROPOSED Building

NOTES: The building will be located 2,157 feet east of Rwy 18/36 at Owensboro Airport. Preliminary review indicates this structure exceeds no state standards. Obstruction lighting is not proposed.

FAA DETERMINATION: Not Available

RECOMMENDATION: Approve with FAA without the FAA Determination

ACTION: Interim Chairman Royer called for a motion. A motion was made by Commissioner Woodward to approve item #19 in accordance with the Administrator's recommendation to approve without the FAA Determination. Commissioner Tiedt seconded it. The motion was carried and was so ordered.

20. AS-060-K20-2010-035

APPLICANTS NAME East Kentucky Network, LLC.
CONSTRUCTION LOCATION Carr Creek, KY
LATITUDE/LONGITUDE 37° 13' 47.2" N / 82° 58' 39.8" W
HEIGHT (In Feet) 310' AGL/1865' AMSL
CONSTRUCTION PROPOSED Antenna Tower

NOTES: The antenna will be located 16.5 nm southeast of Hazard Airport. Preliminary review indicates this structure exceeds no state standards. Obstruction lighting is proposed.

FAA DETERMINATION: Not Available

RECOMMENDATION: Approve with FAA obstruction marking and lighting and pending FAA Determination of No Hazard/No IFR/VFR effect.

21. AS-090-BRY-2010-036

APPLICANTS NAME BLUEGRASS CELLULAR
CONSTRUCTION LOCATION New Haven, KY
LATITUDE/LONGITUDE 37° 39' 21.41" N / 85° 30' 54.97" W
HEIGHT (In Feet) 290' AGL/862' AMSL
CONSTRUCTION PROPOSED Antenna Tower

NOTES: The antenna will be located 9.6 nm south of Bardstown Airport. Preliminary review indicates this structure exceeds no state standards. Obstruction lighting is proposed.

FAA DETERMINATION: Not Available

RECOMMENDATION: Approve with FAA obstruction marking and lighting and pending FAA Determination of No Hazard/No IFR/VFR effect.

22. AS-114-BWG-2010-037

APPLICANTS NAME BLUEGRASS CELLULAR
CONSTRUCTION LOCATION Bowling Green, KY
LATITUDE/LONGITUDE 36° 54' 24.49" N / 86° 19' 35.35" W
HEIGHT (In Feet) 255' AGL/822' AMSL
CONSTRUCTION PROPOSED Antenna Tower

NOTES: The antenna will be located 5.6 nm southeast of Bowling Green Airport. Preliminary review indicates this structure exceeds no state standards. Obstruction lighting is proposed.

FAA DETERMINATION: Not Available

RECOMMENDATION: Approve with FAA obstruction marking and lighting and pending FAA Determination of No Hazard/No IFR/VFR effect.

23. AS-029-I96-2010-038

APPLICANTS NAME BLUEGRASS CELLULAR
CONSTRUCTION LOCATION Burkesville, KY
LATITUDE/LONGITUDE 36° 52' 32.54" N / 85° 24' 8.74" W
HEIGHT (In Feet) 255' AGL/1124' AMSL
CONSTRUCTION PROPOSED Antenna Tower

NOTES: The antenna will be located 12.8 nm south of Columbia Airport. Preliminary review indicates this structure exceeds no state standards. Obstruction lighting is proposed.

FAA DETERMINATION: Not Available

RECOMMENDATION: Approve with FAA obstruction marking and lighting and pending FAA Determination of No Hazard/No IFR/VFR effect.

ACTION: Interim Chairman Royer called for a motion. A motion was made by Commissioner Jeffries to conditional approve item #20-23 in accordance with the Administrator's recommendation to approve pending FAA determination of No Hazard /No IFR/ VFR effect. Commissioner Michael seconded it. The motion was carried and was so ordered.

24. AS-080-K22-2010-039

APPLICANTS NAME Larry Cox
CONSTRUCTION LOCATION Inez, KY
LATITUDE/LONGITUDE 37° 44' 58.32" N / 82° 38' 30.72" W
HEIGHT (In Feet) 28' AGL/1214' AMSL
CONSTRUCTION PROPOSED Hangar

NOTES: The hangar will be located 1012 feet west of Rwy 3/21 at Big Sandy Regional Airport. Preliminary review indicates this structure exceeds no state standards. Obstruction lighting is not proposed.

FAA DETERMINATION: Not Available

RECOMMENDATION: Approve without FAA Determination

ACTION: Interim Chairman Royer called for a motion. A motion was made by Commissioner Zachem to approve item #24 in accordance with the Administrator's recommendation to approve without the FAA Determination. Commissioner Woodward seconded it. The motion was carried and was so ordered.

25. AS-076-I39-2010-040

APPLICANTS NAME MADISON AIRPORT BOARD
CONSTRUCTION LOCATION Richmond, KY
LATITUDE/LONGITUDE 37° 37' 46.00" N / 84° 19' 51.00" W
HEIGHT (In Feet) 12' AGL/988' AMSL
CONSTRUCTION PROPOSED Wind Sock

NOTES: The wind sock will be located 394 feet east of Rwy 18/36 at Madison Airport. Preliminary review indicates this structure exceeds no state standards. Obstruction lighting is proposed.

FAA DETERMINATION: Not Available

RECOMMENDATION: Approve without FAA Determination

ACTION: Interim Chairman Royer called for a motion. A motion was made by Commissioner Michael to approve item #25 in accordance with the Administrator's recommendation to approve without the FAA Determination. Commissioner Jeffries seconded it. The motion was carried and was so ordered.

26. AS-076-I39-2010-041

APPLICANTS NAME MADISON AIRPORT BOARD
CONSTRUCTION LOCATION Richmond, KY
LATITUDE/LONGITUDE 37° 38' 13.20" N / 84° 19' 59.10" W
HEIGHT (In Feet) 0' AGL/967' AMSL
CONSTRUCTION PROPOSED Runway Extension (500 feet)

NOTES: The runway extension will be located at the approach end of Rwy 18 at Madison Airport. Preliminary review indicates this structure exceeds no state standards. Obstruction lighting is not proposed.

FAA DETERMINATION: Not Available

RECOMMENDATION: Approve without FAA Determination

ACTION: Interim Chairman Royer called for a motion. A motion was made by Commissioner Tiedt to conditional approve item #26 pending review of the approved FAA copy of the Airport Layout Plan. Commissioner Zachem seconded it. The motion was carried and was so ordered.

27. AS-063-LOZ-2010-042

APPLICANTS NAME LONDON-CORBIN AIRPORT BOARD
CONSTRUCTION LOCATION London, KY
LATITUDE/LONGITUDE 37° 5' 34.25" N / 84° 4' 4.19" W
HEIGHT (In Feet) 0' AGL/1150' AMSL
CONSTRUCTION PROPOSED Airport Service Road

NOTES: The service road will be located 300 feet from the approach end of Rwy 24 at London Airport. Preliminary review indicates this structure exceeds no state standards. Obstruction lighting is not proposed.

FAA DETERMINATION: Not Available

RECOMMENDATION: Approve without FAA Determination

ACTION: Interim Chairman Royer called for a motion. A motion was made by Commissioner Tiedt to conditional approve item #27 pending review of the approved FAA copy of the Airport Layout Plan. Commissioner Zachem seconded it. The motion was carried and was so ordered.

28. AS-045-DWU-2010-043

APPLICANTS NAME ASHLAND REGIONAL AIRPORT BOARD
CONSTRUCTION LOCATION Worthington, KY
LATITUDE/LONGITUDE 38° 33' 11.15" N / 82° 44' 9.81" W
HEIGHT (In Feet) 15' AGL/564' AMSL
CONSTRUCTION PROPOSED Above Ground Fuel System

NOTES: The fuel system will be located 425 feet south of Rwy 10/28 at Ashland Airport. Preliminary review indicates this structure exceeds no state standards. Obstruction lighting is not proposed.

FAA DETERMINATION: Not Available

RECOMMENDATION: Approve without FAA Determination

ACTION: Interim Chairman Royer called for a motion. A motion was made by Commissioner Jeffries to approve item #28 in accordance with the Administrator's recommendation to approve without the FAA Determination. Commissioner Woodward seconded it. The motion was carried and was so ordered.

29. AS-049-018-2010-044

APPLICANTS NAME CYNTHIANA-HARRISON COUNTY AIRPORT
CONSTRUCTION LOCATION Cynthiana, KY
LATITUDE/LONGITUDE 38° 21' 57.51" N / 84° 17' 25.70" W
HEIGHT (In Feet) 15' AGL/735' AMSL
CONSTRUCTION PROPOSED Above Ground Fuel System

NOTES: The fuel system will be located 620 feet south of Rwy 11/29 at Cynthiana Airport. Preliminary review indicates this structure exceeds no state standards. Obstruction lighting is not proposed.

FAA DETERMINATION: Not Available

RECOMMENDATION: Approve without FAA Determination

ACTION: Interim Chairman Royer called for a motion. A motion was made by Commissioner Jeffries to approve item #29 in accordance with the Administrator's recommendation to approve without the FAA Determination. Commissioner Michael seconded it. The motion was carried and was so ordered.

30. AS-056-SDF-2010-045

APPLICANTS NAME	LOUISVILLE INTERNATIONAL - STANDIFORD FIELD
CONSTRUCTION LOCATION	Louisville, KY
LATITUDE/LONGITUDE	38° 11' 12.37" N / 85° 44' 15.51" W
HEIGHT (In Feet)	105' AGL/584' AMSL
CONSTRUCTION PROPOSED	Light Pole #3

NOTES: The light pole will be located 1795 feet west of Rwy 17L/35R at Louisville International Airport. Preliminary review indicates this structure exceeds no state standards. Obstruction lighting is not proposed.

FAA DETERMINATION: Not Available

RECOMMENDATION: Approve without FAA Determination

ACTION: Interim Chairman Royer called for a motion. A motion was made by Commissioner Michael to approve item #30 in accordance with the Administrator's recommendation to approve without the FAA Determination. Commissioner Zachem seconded it. The motion was carried and was so ordered.

31. AS-011-DVK-2010-046

APPLICANTS NAME	CITY OF DANVILLE
CONSTRUCTION LOCATION	Junction City, KY
LATITUDE/LONGITUDE	37° 34' 39.24" N / 84° 46' 5.12" W
HEIGHT (In Feet)	6' AGL/991.5' AMSL
CONSTRUCTION PROPOSED	Electrical Box for Sewer Pump

NOTES: The electrical box will be located 356 feet north of Rwy 12/30 at Danville Airport. Preliminary review indicates this structure exceeds no state standards. Obstruction lighting is not proposed.

FAA DETERMINATION: Not Available

RECOMMENDATION: Approve without FAA Determination

ACTION: Interim Chairman Royer called for a motion. A motion was made by Commissioner Woodward to approve item #31 in accordance with the Administrator's recommendation to approve without the FAA Determination. Commissioner Jeffries seconded it. The motion was carried and was so ordered.

32. AS-071-4M7-2010-047

APPLICANTS NAME	RUSSELLVILLE-LOGAN COUNTY AIRPORT BOARD
CONSTRUCTION LOCATION	Russellville, KY
LATITUDE/LONGITUDE	36° 47' 48.61" N / 86° 48' 55.0" W
HEIGHT (In Feet)	7' AGL/686' AMSL
CONSTRUCTION PROPOSED	Perimeter Fencing

NOTES: The fencing will be located 337 feet south of Rwy 6/24 at Russellville Airport. Preliminary review indicates this structure exceeds no state standards. Obstruction lighting is not proposed.

FAA DETERMINATION: Not Available

RECOMMENDATION: Approve without FAA Determination

ACTION: Interim Chairman Royer called for a motion. A motion was made by Commissioner Jeffries to approve item #32 in accordance with the Administrator's recommendation to approve without the FAA Determination. Commissioner Michael seconded it. The motion was carried and was so ordered.

33. AS-071-4M7-2010-048

APPLICANTS NAME	RUSSELLVILLE-LOGAN COUNTY AIRPORT BOARD
CONSTRUCTION LOCATION	Russellville, KY
LATITUDE/LONGITUDE	36° 47' 47.27" N / 86° 48' 51.39" W
HEIGHT (In Feet)	50' AGL/722' AMSL
CONSTRUCTION PROPOSED	Rotating Beacon

NOTES: The beacon will be located 672 feet south of Rwy 6/24 at Russellville Airport. Preliminary review indicates this structure exceeds no state standards. Obstruction lighting is not proposed.

FAA DETERMINATION: Not Available

RECOMMENDATION: Approve without FAA Determination

ACTION: Interim Chairman Royer called for a motion. A motion was made by Commissioner Jeffries to approve item #33 in accordance with the Administrator's recommendation to approve without the FAA Determination. Commissioner Michael seconded it. The motion was carried and was so ordered.

34. AS-089-M21-2010-049

APPLICANTS NAME	MUHLENBERG COUNTY AIRPORT BOARD
CONSTRUCTION LOCATION	Powderley, KY
LATITUDE/LONGITUDE	37° 13' 38.01" N / 87° 9' 29.20" W
HEIGHT (In Feet)	45' AGL/468' AMSL
CONSTRUCTION PROPOSED	Rotating Beacon

NOTES: The beacon will be located 576 feet north of Rwy 5/23 at Muhlenberg Airport. Preliminary review indicates this structure exceeds no state standards. Obstruction lighting is not proposed.

FAA DETERMINATION: Not Available

RECOMMENDATION: Approve without FAA Determination

ACTION: Interim Chairman Royer called for a motion. A motion was made by Commissioner Zachem to approve item #34 in accordance with the Administrator's recommendation to approve without the FAA Determination. Commissioner Michael seconded it. The motion was carried and was so ordered.

VI. APPLICATIONS FOR A PERMIT TO CONSTRUCT OR ALTER A STRUCTURE WHICH EXCEEDS MINIMUM OBSTRUCTION STANDARDS:

1. AS-057-79KY-2010-029

APPLICANTS NAME	ARCADIA TOWERS, LLC
CONSTRUCTION LOCATION	Nicholasville, KY
LATITUDE/LONGITUDE	37° 52' 21.33" N / 84° 36' 2.16" W
HEIGHT (In Feet)	165' AGL/1071' AMSL
CONSTRUCTION PROPOSED	Antenna Tower

NOTES: The antenna will be located 632 feet north of Lucas Field Airport (Private). Preliminary review indicates this structure exceeds state standard 50:010 Section 2(27) by 110.43 feet. Obstruction lighting are not proposed.

FAA DETERMINATION: Not Available

RECOMMENDATION: Deny.

ACTION: Interim Chairman Royer called for a motion. A motion was made by Commissioner Jeffries to deny item #1 in accordance with the Administrator's recommendation to deny. Commissioner Zachem seconded it. The motion was carried and was so ordered.

VII. FINES:

1. Crown Castle International Construction of Antenna Tower without permit.

ACTION: Interim Chairman Royer called for a motion. A motion was made by Commissioner Zachem to defer item #1 per the request of the owner. Commissioner Michael seconded it. The motion passed and was so ordered.

2. Tri State Crane Rental Crane operating without a permit

ACTION: Interim Chairman Royer called for a motion. A motion was made by Commissioner Jeffries to fine item #2 \$100.00 dollars. Commissioner Tiedt seconded it. The motion passed and was so ordered.

VIII. ADJOURN:

ACTION: Interim Chairman Royer called for a motion. A motion was made by Commissioner Michael to adjourn the meeting. Commissioner Jeffries seconded it. The motion passed and was so ordered.

Next Meeting – July 8, 2010